

DK-US030627

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	:	ATTN: Certificate of
	:	Correction Branch
Manabu YOSHIMI et al.	:	
	:	Patent Art Unit: 3744
Patent No.: 7,357,002	:	
	:	Examiner: Melvin Jones
Issued: April 15, 2008	:	
	:	
FOR: METHOD FOR INSTALLING	:	
REFRIGERATION DEVICE, AND	:	
REFRIGERATION DEVICE	:	

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.322

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a Certificate of Correction for the above-identified Patent:

No fee is believed to be due for this Request. However, the Commissioner is hereby authorized to charge payment of the any fees associated with this communication or credit any overpayment to Deposit Account No. 50-1836, if required.

Respectfully submitted,

/Patrick A. Hilsmier/
Patrick A. Hilsmier
Reg. No. 46,034

GLOBAL IP COUNSELORS, LLP
1233 Twentieth Street, NW, Suite 700
Washington, DC 20036
(202)-293-0444
Dated: May 5, 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,357,002

Page 1 of 1

DATED : April 15, 2008

INVENTOR(S) : Manabu YOSHIMI et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 39,

Line 62, "to separate separating said non-condensable gas" should read -- to separate said non-condensable gas --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):
GLOBAL IP COUNSELORS, LLP
1233 Twentieth Street, NW, Suite 700
Washington, DC 20036

PATENT NO. 7,357,002

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.